MATERIAL SAFETY DATA SHEETS

May 15, 2012

Milky

Heavier than Air.

Heavier than Water 8.5 Pounds

NAME:	PAINT VITAMIN W
COLOR:	MILKY
PRODUCT CODE:	97-00
C.A.S. NUMBER:	Not Applicable

SECTION I - COMPANY AND PRODUCT IDENTIFICATION

Manufacturer:	TIBBETTS NEWPORT CORP.	
	2337 S. Birch St., Santa Ana, CA	92707
	tel: 714.546-6661, fax: 714.5	546-5414
Contact:	Shil Park	Hazardous Materials Identification System
Telephone:	213.422-0539	(0 = none to 4 = extreme)
Chemtrec (24 hour):	800.424-9300	Health 1
Product Class:	100% Acrylic Latex Emulsion	Flammability 0
Product Number:	97-00	Reactivity 0
		Maximum Personal Protection E

SECTION II – INGREDIENT AND HAZARD INFORMATION

-----NO MERCURY, NO LEAD, NO E.G -----

This product's ingredients DOES NOT contain any suspected cancer agent found on the following lists / federal OSHA / NTP / IARC.

NONE LISTED-

SECTION III - PHYSICAL DATA

FORM: Liquid Appearance/Color: **BOILING RANGE:** 212 - 395 Deg F VAPOR DENSITY: **EVAPORATION RATE:** Slower than n-Butyl Acetate LIQUID DENSITY: 72 % WEIGHT/GALLON: % VOLATILE VOLUME: % VOLATILE WEIGHT: 71 % APPEARANCE: MEDIUM VISCOSITY. MILKY LIQUID. LOW ODOR. MAXIMUM V.O.C. OF COATING: Less than 10 grams per liter

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flammability Class: N/A Flash Point: N/A EXTINGUISHING MEDIA: CO2 DRY CHEMICAL FOAM WATER FOG - Liquid material should not burn. Dried material will support combustion.

SPECIAL FIRE FIGHTING PROCEDURES:

- Not applicable.

UNUSUAL FIRE & EXPLOSION HAZARDS:

- Containers may explode when exposed to extreme heat.
- Water may be used to cool un-ruptured containers.

SECTION V: HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE LEVEL:

-See Sec. VIII

EFFECTS OF OVER-EXPOSURE:

Inhalation – Vapor or spray mist can cause headache, nausea, and irritation of the nose, throat and lungs. Skin contact – repeated or prolonged contact may cause irritation and dermatitis. Eyes – liquid contact results in irritation. May cause temporary corneal clouding. Ingestion – may be harmful if swallowed.

FIRST AID:

-Skin: Wash areas with soap and water -Eyes: Wash with water. If irritation is evident, see physician.

SECTION VI – REACTIVITY DATA

Stability:	[] Unstable	[X]	Stable
Hazardous Polymerization:	[] May Occur	[X]	Will not Occur

INCOMPATIBILITY:

- No hazardous reactions are expected to occur, except materials which react with water. CONDITIONS TO AVOID:

- Do not permit water reactive-material to mix with this product.

HAZARDOUS DECOMPOSITION PRODUCTS:

-Incomplete combustion may release carbon monoxide.

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: - Clean up with approved material. Wash area with water.

WASTE DISPOSAL METHOD:

- Disposal should be done in accordance with prevailing regulations.

SECTION VIII – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

-If TLV of the product is exceeded, a NIOSH/MSHA jointly approved air supply respirator is advised in absence of proper environmental control. OSHA regulations also permit other

NIOSH/MSHA respirators under specified conditions. (see your safety equipment supplier). Engineering or administrative controls should be implemented to reduce exposure.

VENTILATION:

-Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV.

PROTECTIVE GLOVES:

-Not usually required.

MSDS 9700 Page **3** of **4**

EYE PROTECTION:

-Chemical splash goggles in compliance with OSHA regulations are advised; however OSHA regulations also permit other type of safety glasses. (Consult your safety equipment Supplier).

OTHER PROTECTIVE EQUIPMENT:

-Protective apron if splashing is expected.

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: -Do not allow material to freeze.

OTHER PRECAUTIONS:

-Prevent from freezing.

U.S. DEPARTMENT OF TRANSPORTATION CLASSIFICATION: -Not Regulated.

D.O.T. PROPER SHIPPING NAME: -Paint.

EMERGENCY RESPONSE GUIDEBOOK:

-Not Applicable.

SECTION X: ADDITIONAL REGULATORY INFORMATION

SARA TITLE III SECTION 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community right to Know Act of 1986 and CFR 372:

- NONE

PROP 65 (CARCINOGEN):

WARNING: This product contains a chemical known to the state of California to cause cancer.

- NONE

PRO 65 (TETRATOGENIC):

WARNING: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

- NONE

PRO 65 (BOTH CARCINOGEN AND TETRATOGENIC)

WARNING: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

- NONE

ABBREVIATIONS: ACGIH = American conference of Governmental Industrial Hygienists.

- OSHA = Occupationl Safety and Health Administration.
 - TLV = Threshold Limit Value
 - LEL = Lower Explosive Limit
 - TSCA = Toxic Substance Control Act.
 - PEL = Permissible Exposure Limit.
 - TWA = Time Weighted Limit.
 - STEL = Short-Term Exposure Limit
 - CAS # = Chemical Abstracts Service Registry

DOT = U.S. Department of Transportation

EMERGENCY CONTACT: "CHEMTREC" 800-424-9300. This telephone number is to be used ONLY in case of transportation emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

NO WARRANTY: We cannot reasonably anticipate or control the many different and varying conditions under, or methods by which this MSDS information and our product may be used. Therefore, we do not guarantee the applicability of this MSDS information or the suitability of this product in any individual situation. All purchasers and users of this product are hereby put on notice that any advice provide over-the counter is not a warranty and is not to be relied upon, and further that no one is authorized to make any representations or warranties relative to this product, including any and sellers of this product. This product is sold WITHOUT WARRANTY, expressed or implied, and any claim of any kind is limited to the purchase price of this product.